

Minimum 2-Edge Connected Spanning Subgraph of Certain Interconnection Networks

Albert William[†], Indra Rajasingh[‡] and S.Roy^{†1}

[†]Department of Mathematics, Loyola College, Chennai, India.

albertwilliam80@hotmail.com

[‡]School of Advanced Sciences, VIT University, Chennai, India.

indrarajasingh@yahoo.com

Abstract : Given an undirected graph, finding a minimum 2-edge connected spanning subgraph is NP-hard. We solve the problem for silicate network, brother cell and sierpiński gasket rhombus.

Keywords : silicate network; brother cell; sierpiński gasket rhombus.

1 Introduction

The study of connectivity in graph theory has important applications in the areas of network reliability and network design. In fact, with the introduction of fiber optic technology

¹Corresponding author email:sroysantiago@gmail.com (S.Roy)

in telecommunication, designing a minimum cost survivable network has become a major objective in telecommunication industry. Survivable networks have to satisfy some connectivity requirements, this means that they are still functional after the failure of certain links [5]. As pointed out in [5, 9], the topology that seems to be very efficient is the network that survives after the loss of $k - 1$ or less edges, for some $k \geq 2$, where k depends on the level of reliability required in the network [9]. In this paper, we concentrate on the minimum 2-edge connected spanning subgraph. A connected graph $G = (V, E)$ is said to be 2-edge connected if $|V| \geq 2$ and the deletion of any set of < 2 edges leaves a connected graph. The minimum 2-edge connected spanning subgraph (2-ECSS) problem is defined as follows: Given a 2-edge connected graph G , find efficiently a spanning subgraph $S(G)$ which is also 2-edge connected and has a minimum number of edges. We denote the number of edges in a graph G by $\varepsilon(G)$ and the edges of minimum 2-edge connected spanning subgraph of G by $\varepsilon(S(G))$.

Kuller and Raghavachari [12] presented the first algorithm which, for all k , achieves a performance ratio smaller than a constant which is less than two. They proved an upper bound of 1.85 for the performance ratio of their algorithm. Cristina G. Fernandes [7] improved their analysis, proving that the performance ratio of algorithm [13] is smaller than 1.7 for large enough k , and that it is at most 1.75 for all k . Cherian et.al [6] gave an approximation algorithm for minimum size 2-ECSS problem where an ear decomposition is used to construct a feasible 2-ECSS. The depth-first search algorithm was used to present a $3/2$ approximation algorithm for the minimum size 2-ECSS problem in which a notion called tree carving is used [13]. An approximation for finding a smallest 2-edge connected subgraph containing a specified spanning tree was studied by Hiroshi Nagamochi [8]. The sufficient conditions for a graph to be perfectly 2-edge connected was given by Ali Ridha Mahjoub [2]. Woonghee [15] devised an algorithm for r -regular, r -edge connected graphs. For cubic graphs, results of [11] imply a new upper bound on the integrality gap of the linear programming formulation for the 2-edge connectivity problem. Even though there are numerous results and discussions on minimum 2-edge connected spanning subgraph problem, most of them deal only with approximation results. According to the literature survey, the minimum 2-edge connected spanning subgraph problem is not solved for an interconnection network. In this paper we derive an exact number of edges of minimum 2-edge connected spanning subgraph of silicate network, brother cell and sierpiński gasket rhombus.

2 Silicate Network

Lemma 2.1. [1] *If one end of every edge of a graph G is of degree 2 then no proper spanning subgraph of G is 2-edge connected.*

Consider a honeycomb network $HC(r)$ of dimension r . Place silicon ions on all the vertices of $HC(r)$. Subdivide each edge of $HC(r)$ once. Place oxygen ions on the new vertices. Introduce $6r$ new pendant edges one each at the 2-degree silicon ions of $HC(r)$ and place oxygen ions at the pendent vertices. See Figure 1(a). With every silicon ion associate the three adjacent oxygen ions and form a tetrahedron as in Figure 1(b). The resulting network is a silicate network of dimension r , denoted $SL(r)$. The diameter of $SL(r)$ is $4r$. The graph in Figure 1(b) is a silicate network of dimension two. The 3-degree oxygen nodes of silicates are called boundary nodes. In Figure 1(b), c_1, c_2, \dots, c_{12} are boundary nodes SL_2 .




Figure 1: Silicate Network $SL(2)$

When we delete all the silicon nodes from a silicate network we obtain a new network which we shall call as an Oxide Network [14]. See Figure 2(a). An r -dimensional oxide network is denoted by $OX(r)$. By [14], there are r edge disjoint symmetric cycles in $OX(r)$ which are also vertex disjoint cycles. Let them be x_1, x_2, \dots, x_r . See Figure 2(b). The number of edges in $x_i, 1 \leq i \leq r$ is $18i - 6$.




Figure 2: Oxide Network $OX(2)$

Theorem 2.2. Let $OX(r), r \geq 2$ be an r -dimensional oxide network. Then $\varepsilon(S(OX(r))) = \varepsilon(x_1) + \varepsilon(x_2) - 1 + \dots + \varepsilon(x_r) - 1 + 2(r - 1)$.

Proof. Let us prove the theorem by induction on r . When $r = 2$, there are $r=2$ edge disjoint cycles x_1 and x_2 in $OX(2)$. Keeping x_1 and x_2 , removing all the edges, we get a disconnected oxide network with 2-edge disjoint cycles x_1 and x_2 in $OX(2)$. See Figure 3(a).




Figure 3: $\varepsilon(S(OX(r = 2))) = 12 + 29 + 2 = 43$.

Adding 2 edges from a boundary vertex of x_1 to two non boundary adjacent vertices of x_2 and deleting the edge between those non boundary vertices of x_2 [edge to be removed is shown in dashed line], we get a minimum 2-edge connected spanning subgraph. See Figure 3(b). This is minimum because by Lemma 2.1, deleting any single edge gives no 2-edge connected spanning subgraph. The number of edges in x_1 and x_2 are $18(1) - 6$ and $18(2) - 6$. Hence $\varepsilon(S(OX(r = 2))) = 12 + 29 + 2 = \varepsilon(x_1) + \varepsilon(x_2) - 1 + 2(r - 1)$. Thus the result is true for $r = 2$.




Figure 4: $\varepsilon(S(OX(r = 3))) = 12 + 29 + 47 + 4 = 92$.

We assume that the result is true for $r = k$. When $r = k + 1$, there are $r = k + 1$ edge disjoint cycles x_1, x_2, \dots, x_{k+1} . Adding 2 edges from a boundary vertex of $x_i, 1 \leq i \leq k$ to two non boundary adjacent vertices of $x_{i+1}, 1 \leq i \leq k$ and deleting the edges between those non boundary vertices of x_2, x_3, \dots, x_{k+1} , we get a minimum 2-edge connected spanning subgraph. Hence $\varepsilon(S(OX(r = k + 1))) = 18(1) - 6 - 1 + 18(2) - 6 - 1 + \dots + 18((k+1)) - 6 - 1 + 2k = \varepsilon(x_1) + \varepsilon(x_2) - 1 + \dots + \varepsilon(x_{k+1}) - 1 + 2((k + 1) - 1)$. □

3 Sierpinski Gasket Rhombus

Definition 3.1. [4] A *sierpiński Gasket Rhombus* of level r [denoted by SR_r] is obtained by identifying the edges in two Sierpinski Gasket S_r along one of their side. For the definition of *sierpiński Gasket*, refer[10].




Figure 5:(a) S_2 and SR_2 and (b) S_3 and SR_3

The sierpiński Gasket graphs S_r has 3^r edges [14]. From the Definition 3.1, sierpiński Gasket

Rhombus SR_r consists two copies of sierpiński Gasket graph S_r and identifying the edges of two sierpiński Gasket graphs S_r along one of their side, 2^{r-1} edges are shared by both S_r . Therefore the number of edges in SR_r is $2 \times 3^r - 2^{r-1}$.

Theorem 3.2. [1] Let $S_r, r \geq 3$ be the r dimensional Sierpiński gasket graph. Then $\varepsilon(S(S_r)) = 2 \times 3^{r-1}$.




Figure 6: (a) $\varepsilon(S(S_2)) = 6$ and (b) $\varepsilon(S(S_3)) = 18$.

Theorem 3.3. Let $SR_r, r \geq 2$ be the r dimensional sierpiński Gasket Rhombus. Then $\varepsilon(S(SR_r)) = 2(2 \times 3^{r-1}) - 2^{r-1}$.

Proof. We prove this theorem by induction on r . When $r = 2$, SR_2 contains 2 copies of S_2 and has $2 \times 3^2 - 2^{2-1}$ edges. Now we construct minimum 2-edge connected spanning subgraph of SR_2 using 2 copies of minimum 2-edge connected spanning subgraph of S_2 . See Figure 7(a).




Figure 7:(a) $\varepsilon(S(SR_2)) = 10$ and (b) $\varepsilon(S(SR_3)) = 32$

By Lemma 2.1, no edge can be deleted from Figure 7(b). Thus $S(SR_2) = 2\varepsilon(S(S_2))$. Since 2^{2-1} edges are shared by both S_2 , $\varepsilon(S(SR_2)) = 2\varepsilon(S(S_2)) - 2^{2-1} = 2(2 \times 3^{2-1}) - 2^{2-1}$

We assume that the result is true for $r = k$ (i.e.) $\varepsilon(S(SR_k)) = 2\varepsilon(S(S_k)) - 2^{k-1} = 2(2 \times 3^{k-1}) - 2^{k-1}$. Consider $r = k + 1$. SR_{k+1} contains two copies of S_k . Construct a minimum 2-edge connected spanning subgraph of SR_{k+1} using two copies of minimum 2-edge connected

spanning subgraph of S_{k+1} where $2^{(k+1)-1}$ edges are shared by two S_k . Thus $\varepsilon(S(S_{k+1})) = 2\varepsilon(S(S_k)) - 2^{(k+1)-1} = 2(2 \times 3^{(k+1)-1}) - 2^{(k+1)-1}$. \square

4 Brother Cell

Definition 4.1. [14] Assume that k is an integer with $k \geq 2$. The k th brother cell $BC(k)$ is the five tuple $(G_k, w_k, x_k, y_k, z_k)$, where $G_k = (V, E)$ is a bipartite graph with bipartition W (white) and B (black) and contains four distinct nodes w_k, x_k, y_k and z_k . w_k is the white terminal; x_k the white root; y_k the black terminal and z_k the black root. We can recursively define $BC(k)$ as follows:

(1) $BC(2)$ is the 5-tuple $(G_2, w_2, x_2, y_2, z_2)$ where $V(G_2) = w_2, x_2, y_2, z_2, s, t$, and $E(G_2) = (w_2, s), (s, x_2), (x_2, y_2), (y_2, t), (t, z_2), (w_2, z_2)(s, t)$.

(2) The k th brother cell $BC(k)$ with $k \geq 3$ is composed of two disjoint copies of $(k - 1)$ th brother cells

$$BC^1(k - 1) = (G_{k-1}^1, w_{k-1}^1, x_{k-1}^1, y_{k-1}^1, z_{k-1}^1),$$

$$BC^2(k - 1) = (G_{k-1}^2, w_{k-1}^2, x_{k-1}^2, y_{k-1}^2, z_{k-1}^2),$$

a white root x_k , and a black root z_k . To be specific,

$$V(G_k) = V(G_{k-1}^1) \cup V(G_{k-1}^2) \cup \{x_k, z_k\},$$

$$E(G_k) = E(G_{k-1}^1) \cup E(G_{k-1}^2) \cup$$

$$\{(z_k, x_{k-1}^1), (z_k, x_{k-1}^2), (x_k, z_{k-1}^1), (x_k, z_{k-1}^2), (y_{k-1}^1, w_{k-1}^2)\},$$

$$z_k = w_{k-1}^1, \text{ and } y_k = y_{k-1}^2.$$




Figure 8: (a) $BC(2)$ and (b) $BC(3)$

From the definition, we construct $BC(k)$ from two disjoint copies of $(k - 1)$ and each time

we add five more edges $(z_k, x_{k-1}^1), (z_k, x_{k-1}^2), (x_k, z_{k-1}^1), (x_k, z_{k-1}^2), (y_{k-1}^1, w_{k-1}^2)$. And each time constructing a $BC(k)$, deleting the edge (y_{k-1}^1, w_{k-1}^2) does not affect 2-edge connectivity of $BC(k)$.

Theorem 4.2. *Let $BC(r)$, $r \geq 2$ be a brother cell. Then $\varepsilon(S(BC(r))) = 5 \times 2^{k-1} - 4$*

Proof. By the Definition 4.1, BC_2 has 7 edges. Now label the vertices of $BC(2)$ as shown in the Figure 9(a). Deleting the edge (s, t) , we get a cycle on 6 vertices which is a minimum 2-edge connected spanning subgraph and $\varepsilon(S(BC(2))) = 7 - 1 = 5 \times 2^{2-1} - 4 = 6$.




Figure 9: (a) $\varepsilon(S(BC(2))) = 6$ and (b) $\varepsilon(S(BC(3))) = 16$

We prove this theorem by induction on r . When $r = 3$, $BC(3)$ contains 2 disjoint copies of $BC(2)$ and five edges $(z_3, x_2^1), (z_3, x_2^2), (x_3, z_2^1), (x_3, z_2^2), (y_2^1, w_2^2)$ connecting these two $BC(2)$. Now we construct minimum 2-edge connected spanning subgraph of $BC(3)$ using 2 disjoint copies of minimum 2-edge connected spanning subgraph of BC_2 and with four edges $(z_3, x_2^1), (z_3, x_2^2), (x_3, z_2^1), (x_3, z_2^2)$. See Figure 10(b). By Lemma 2.1, this is the minimum. Hence $\varepsilon(S(BC(3))) = 2\varepsilon(S(BC(2))) + 4 = 2 \times (5 \times 2^{2-1} - 4) + 4 = 16 = 5 \times 2^{3-1} - 4$.




Figure 10: $\varepsilon(S(BC_4)) = 36$

We assume that the result is true for $r = k$ (i.e.) $\varepsilon(S(BC(k))) = 2\varepsilon(S(BC(k-1))) + 4 = 2 \times (5 \times 2^{k-1} - 4) + 4$. Consider $r = k + 1$. $BC(k + 1)$ contains two copies of $BC(k)$. Construct minimum 2-edge connected spanning subgraph of $BC(k + 1)$ using 2 copies of minimum 2-edge connected spanning subgraph of $BC(k)$ and with four edges $(z_k, x_{k-1}^1), (z_k, x_{k-1}^2), (x_k, z_{k-1}^1), (x_k, z_{k-1}^2)$. Thus $\varepsilon(S(BC(k + 1))) = 2\varepsilon(S(BC(k))) + 4 = 2 \times (5 \times 2^{k-1} - 4) + 4 = 5 \times 2^{(k+1)-1} - 4$. \square

Acknowledgements

This work is supported by Maulana Azad National Fellowship F1-17.1/2011/MANF-CHR-TAM-2135 of the University Grants Commission, New Delhi, India.

References

- [1] Albert William and S. Roy, *Minimum 2-edge connected spanning subgraph of certain graphs*, Accepted for publication in the Journal of Combinatorial Mathematics and Combinatorial Computing.
- [2] Ali Ridha Mahjoub, *On Perfectly two-edge connected graphs*, Discrete Mathematics 170(1997), 153-172.
- [3] P. Antony Kishore, *Topological properties of silicate and shuffle exchange networks and graph drawing with matlab*, Ph.D Thesis, University of Madras, India(2012).
- [4] D. Antony Xavier, M. Rosary and A. Andrew *Identification of triangular graphs*, Proceedings of the international conference on mathematical engineering, 2(2013), 773-778.
- [5] M. D. Biha and A.R. Mahjoub, *The k-edge connected subgraph problem I: Polytopes and critical extreme points*, Linear Algebra and its Applications, 381(2004), 117-139.
- [6] J. Cherian, A. Sebo and Z. Szigeti, *An improved approximation algorithm for minimum size 2-edge connected spanning subgraphs*, Integer Programming and Combinatorial Optimization Lecture Notes in Computer Science, 1412(1998), 126-136.
- [7] C.G.Fernandes, *A better approximation ratio for the minimum size k-edge-connected spanning subgraph problem*, Journal of Algorithms, 28(1998), 105-124.

- [8] Hiroshi Nagamochi, *An approximation for finding a smallest 2-edge-connected subgraph containing a specified spanning tree*, Discrete Applied Mathematics, 126(2003), 83-113.
- [9] C.W. Ko and C.L. Monma, *Heuristic methods for designing highly survivable communication networks,* Technical Report, Bell Communication Research, 1989.
- [10] S. Klavzar, *Coloring sierpiński graphs and Sierpiński gasket graphs*, Taiwanese J. Math. 12(2008), 513-522.
- [11] P. Krysta and V.S. Anil Kumar, *Approximation algorithms for minimum size 2-connectivity problems*, Lecture Notes in Computer Science, 2010(2001), 431-442.
- [12] S. Kuller and B. Raghavachari, *Improved approximation algorithms for uniform connectivity problems*, Journal of Algorithms 21(1996), 434-450.
- [13] S. Kuller and U. Vishkin, *Biconnectivity approximations and graph carvings*, J. ACM 41(2)(1994), 214-235.
- [14] Shin-Shin Kao and Lih-Hsing Hsu *Brother trees: A family of optimal 1_p -hamiltonian and 1-edge hamiltonian graphs*, Information Proce. Letters 86(2003), 263-269.
- [15] T.M. Woonghee, *Finding 2-edge connected spanning subgraphs*, Operation Research Letters, 32(2004), 212-216.